



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/677,630	10/03/2000	Leon Forman	320-4(a)	5469

7590 08/20/2003

THOMAS M. GALGANO, Esq
Galgano & Burke
300 Rabro Drive
Suite 135
Hauppauge, NY 11788

EXAMINER

PALABRICA, RICARDO J

ART UNIT	PAPER NUMBER
----------	--------------

3641

DATE MAILED: 08/20/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/677,630

Applicant(s)

FORMAN, LEON

Examiner

Rick Palabrica

Art Unit

3641

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 8/4/03.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-16 is/are pending in the application.
- 4a) Of the above claim(s) 11-16 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-10 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☒ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

1. Applicant's request for reconsideration in Paper No. 8, which traverses the rejection of claims based on Bernadet (U.S. 5,215,703), is acknowledged. This request is in response to the Final Office Action dated September 5, 2002.

The traverse is on the grounds that, although the ion sources described by Bernadet may use electron bombardment to generate ions, it does not specifically describe an embodiment of an electron bombardment ion source. The examiner agrees with the applicant's arguments. Accordingly, said Final Office Action is withdrawn and replaced by this one.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-8, and 10 are rejected under 35 U.S.C. 102(b) as being anticipated by Miller (U.S. 3,816,785). Miller discloses in Figs. 1-4 a neutron generator comprising an electron bombardment ion source wherein an ion beam is generated by electrically heating a filament 12, so that electrons which are emitted therefrom can bombard deuterium gas provided from a source 14 (see column 2, lines 35-45). A suitable potential difference accelerates the ion beam toward a target 18. Reaction of the beam

Art Unit: 3641

with the target produces 14 MeV neutrons. Electrostatic lenses 20, 22 are used to converge or focus the diverging ionized deuterium beam (see column 2, lines 46+).

Miller discloses an embodiment shown in Fig. 2 of a hollow, occluded target 24 that is in the form of a needle and containing tritium gas. He further discloses that this needle target may have a diameter in the order of 3 mm. Based on this size of the target, the exit slit of the ion gun and the focusing apertures 20, 22 must inherently be at least 3 mm each. The electrostatic lenses 20, 22 provide the rasterizing means.

As to "wherein" clauses in claims 3, 4 and 8, and the clause after "filament" in claim 7, these clauses are essentially method limitations or statement of intended or desired use. These clauses, as well as other statements of intended use do not serve to patently distinguish the claimed structure over that of the reference, as long as the structure of the cited references is capable of performing the intended use. See MPEP 2111-2115.

See also MPEP 2114 that states:

A claim containing a "recitation with respect to the manner in which a claimed apparatus is intended to be employed does not differentiate the claimed apparatus from a prior art apparatus" if the prior art apparatus teaches all the structural limitations of the claim. Ex parte Masham, 2 USPQ2d 1647.

Claims directed to apparatus must be distinguished from the prior art in terms of structure rather than function. In re Danly, 263 F.2d 844, 847, 120 USPQ 528, 531.

[A]pparatus claims cover what a device is, not what a device does."
Hewlett-Packard Co. v. Bausch & Lomb Inc., 15 USPQ2d 1525, 1528.

As set forth in MPEP 2115, a recitation in a claim to the material or article worked upon does not serve to limit an apparatus claim.

Art Unit: 3641

The device in the cited reference is capable of being used in the same manner and for the intended or desired use as the claimed invention.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Miller, who discloses the applicant's claims except for the specifics of the distance between the beam exit slit and the needle, and the length of the needle. These specifics in the claim are matters of optimization within prior art conditions or through routine experimentation (see MPEP 2144.05 II.A). Note that Miller discloses a needle having a length of 30 mm overall (see column 3, lines 18+).

4. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Miller. As stated in section 2 above, the electrostatic lenses 20, 22 in Miller provide the claimed rasterizing means. If this is not apparent, then such means is conventional, as applicant himself admits (see page 12, lines 22+, in the specification).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the apparatus, as disclosed by Miller, to include a rasterizing means to gain the advantages thereof (i.e., provide customized

Art Unit: 3641

beam control), because such modification is no more than the use of well-known expedients of beam control within the nuclear art.

Conclusion

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rick Palabrica whose telephone number is 703-306-5756. The examiner can normally be reached on 7:00-4:30, Mon-Fri; 1st Friday off.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Carone can be reached on 703-306-4198. The fax phone numbers

Art Unit: 3641

for the organization where this application or proceeding is assigned are 703-305-7687 for regular communications and 703-305-7687 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1113.

RJP
August 17, 2003

A handwritten signature in black ink, appearing to be "RJP", is written over a faint, rectangular stamp. The stamp contains text that is mostly illegible but appears to include "RECEIVED" and "AUG 17 2003".